FORM PTO-1390 (REV 12-29-99) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE TRANSMITTAL LETTER TO THE UNITED STATES

0745/62947/NHZ

11	GRIDMILIVE PELLI	EX TO THE ONLIED STATES						
	DESIGNATED/ELEC CONCERNING A FII	U.S APPLICATION NO. (4f knpwn 1988 1 CFR) S						
INTERNA	ATIONAL APPLICATION NO. DE00/00129	INTERNATIONAL FILING DATE 14 January 2000	PRIORITY DATE CLAIMED 14 January 1999					
TITLE O	TITLE OF INVENTION METHOD FOR AUTOMATICALLY DESIGNING CELLULAR MOBILE RADIOTELEPHONE NETWORKS							
APPLICA	APPLICANT(S) FOR DO/EO/US Jurgen CLEMENS, Dr. Wolf MENDE and Dr. Norbert SCHULTZE							
	nt herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.							
2.		UENT submission of items concerning a filing under	35 I I S C 271					
3. X		cional examination procedures (35 U.S.C. 371(f)) at ar						
4. X	examination until the expiration	of the applicable time limit set in 35 U.S.C. 371(b) ar	nd PCT Articles 22 and 39(1)					
=		al Preliminary Examination was made by the 19th mo	nth from the earliest claimed priority date.					
5		pplication as filed (35 U.S.C. 371(c)(2))						
		ith (required only if not transmitted by the Intern	ational Bureau).					
		by the International Bureau.	' ' O' (DO ATA)					
6. X	c. Li is not required, as the application was filed in the United States Receiving Office (RO/US). A translation of the International Application into English (35 U.S.C. 371(c)(2)).							
7.		the International Application under PCT Article	**					
		vith (required only if not transmitted by the Inter						
		d by the International Bureau.	national Bureau).					
		however, the time limit for making such amenda	ments has NOT expired					
	d. have not been made		nones has two rexpired.					
8.		nts to the claims under PCT Article 19 (35 U.S.C	7 371(c)(2))					
9. X		inventor(s) (35 U.S.C. 371(c)(4)).	<i>5.371(c)(3)).</i>					
10.		,						
10.	(35 U.S.C. 371(c)(5)).	o the International Preliminary Examination Rep	ort under PCT Article 36					
Items 1	1. to 16. below concern docur	nent(s) or information included:						
11.	An Information Disclosure St	atement under 37 CFR 1.97 and 1.98.						
12.	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.							
13. X	A FIRST preliminary amendment.							
	A SECOND or SUBSEQUENT preliminary amendment.							
14.	A substitute specification.							
15.	A change of power of attorney	and/or address letter.						
16. X	A change of power of attorney and/or address letter. Other items or information: A copy of the International Application, as published, including International Search Report and translation thereof, Express Mail Certificate of Mailing dated September 14, 2000, bearing Label No. EJ900 851 149US.							

U.S. APPLICATION NO. (If known, sec 37 CFR 6 1 9 9 INTERNATIONAL APPLICATION NO. 0745/62947/NHZ						
			CALCULATIONS	PTO USE ONLY		
	17. X The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):					
	ational preliminary examina					
nor internation	nal search fee (37 CFR 1.44	5(a)(2)) paid to USPTO	\$970.00		1	
	nal Search Report not prepa		\$970.00		1	
	preliminary examination fee nternational Search Report p		\$840.00			
International printernational in	oreliminary examination fee (search fee (37 CFR 1.445(a)	(37 CFR 1.482) not paid to US (2)) paid to USPTO	PTO but \$690.00			
International position but all claims	preliminary examination fee did not satisfy provisions o	paid to USPTO (37 CFR 1.48 f PCT Article 33(1)-(4)	82) . \$670.00		Ì	
International and all claims	preliminary examination feets satisfied provisions of PCT	e paid to USPTO (37 CFR 1.45 Article 33(1)-(4)	82) \$96.00			
	ENTER APPROP	RIATE BASIC FEE AN	MOUNT =	\$970.00		
Surcharge of \$136	0.00 for furnishing the oath earliest claimed priority dat	or decidration later than	20	\$0		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE			
Total claims	6-20 =	0	X \$18.00	\$ 0		
Independent claims		0	X \$78.00	\$0		
MULTIPLE DEP	ENDENT CLAIM(S) (if applic	able)	+ \$260.00	s 0		
	TOTAL	OF ABOVE CALCULA	TIONS =	\$970.00		
Reduction of 1/2 must also by file	for filing by small entity, if d (Note 37 CFR 1.9, 1.27, 1	applicable. A Small Entity Sta 28).	atement	\$		
			TOTAL =	\$		
D	CO120 00 for furnishing the	English translation later than		s		
months from the	e earliest claimed priority da	te (37 CFR 1.492(f)).	+_			
		TOTAL NATION		\$		
Fee for recording accompanied by	g the enclosed assignment (3 an appropriate cover sheet)	37 CFR 1.21(h)). The assignm (37 CFR 3.28, 3.31). \$40.00 p	er property +	\$		
		TOTAL FEES EN	CLOSED =	\$970.00		
				Amount to be	\$	
				refunded: charged:	S	
				chargeu.		
a. X A chec	ck in the amount of \$ <u>97</u>	0.00 to cover the abo	ove fees is enclose	ed.		
b. Please	charge my Deposit Account	No in th	e amount of \$	to co	ver the above fees.	
A duplicate copy of this sheet is enclosed.						
c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 03-3125. A duplicate copy of this sheet is enclosed.						
NORTH AND A state of the Line of CED 1 404 and 1 405 has not been most a notition to position (27 CED						
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.						
SEND ALL CORR	ESPONDENCE TO		<u> </u> ~	- H	<u> </u>	
l.	H. Zivin			5 . 0	$\overline{}$	
1	& DUNHAM LLP		SIGNAT			
1185 Av	enue of the Ameri	cas		cman H. Zivin		
New Yor	k, New York 1003	6	NAME			
			_ 25	,385		
			REGIST	RATION NUMBER		

09/646199 422 Rec'd PCT/PTO 1 4 SEP 2000

Dkt. 62947

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants Jurgen CLEMENS, Norbert SCHULTZE Dr. Wolf MENDE and Dr.

Serial No. Not Yet Known

Filed Herewith

METHOD FOR AUTOMATICALLY DESIGNING CELLULAR MOBILE RADIOTELEPHONE NETWORKS For

Assistant Commissioner of Patents

Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

Please delete the claims, and substitute new claims 1 through 6, as follows:

- A method for automatically designing cellular mobile -- 1. radio telephone networks, wherein, from existing planning data implemented, planned or abstract cellular mobile radio telephone networks or subnetworks and the space-related data of their planning areas and the space-related data of a new planning area, a design of the cellular mobile radio telephone network or subnetwork for the new planning area is automatically generated by processing the relations between the space-related reference and planning data and application of coordinate and angle transformations to the site coordinates of the base stations and main beam directions of the antennas of the base stations of the reference data.
- 2. A method according to claim 1, wherein the quality of the network design is assessed by quantifying the relations between space-related reference and planning data.

- 3. A method according to claim 1, wherein the space-related planning data are acquired, stored, tested and processed.
- 4. A method according to claim 1, wherein the space-related planning data are represented as one or multi-dimensional features and/or parameters and are kept stored in a database.
- 5. A method according to claim 1, wherein the space-related and network-related reference data are kept stored in a database and are represented as one or multi-dimensional features and/or parameters.
- 6. A method according to claim 1, wherein, without necessary human intervention, for a mobile radio telephone network or subnetwork (N1) to be planned on a geographic area (1) a real or abstract mobile radio telephone network or subnetwork (N2) on a real or abstract geographic area (6) is changed in the space-related parameters, site coordinates and antenna main beam directions and on the geographic area (1) is substituted in the subnetwork (N1) to be planned by coordinate transformation of the geographic longitude, latitude and rotation with respect to the zero meridian at the precise instant when the features of the space-related data of the geographic areas (1) and (6) are equal or are said to be equal in accordance with a particular criterion. --

REMARKS

The claims pending in the PCT application have been amended to eliminate multiple dependent claims. New claims 1 through 6 are presented for examination.

An early and favorable examination on the merits is earnestly solicited.

Respectfully submitted,

Dated: September 14, 2000 B

Norman H. Zivin Reg. No. 25,385

c/o Cooper & Dunham LLP 1185 Avenue of the Americas New York, New York 10036

(212) 278-0400

Attorney for Applicant

A/prts.

422 Rec'd PCT/PTO 1 4 SEP 2000

Method for automatically designing cellular mobile radio telephone networks

Description

The present invention relates to a method for automatically designing cellular mobile radio telephone networks in accordance with the features of the preamble of patent claim 1.

It is the aim of practical radio network planning for designing cellular mobile radio telephone networks to offer the highest possible quality of service to the largest number of subscribers and it has to be based on predetermined boundary conditions such as, for example, wave propagation characteristics, availability of fixed transmitter sites, useable frequency spectrum, traffic volume to be expected, traffic distribution etc.

In the initial period of mobile radio telephony, the radio network planning was essentially performed manually by a radio network planner. Due to the increase in size and efficiency of networks, efforts were aimed at automating more and more substeps of the planning process. This required powerful computers which have become generally available only in recent times. Known methods for the automatic design,

automated planning and/or optimization of cellular mobile radio telephony networks taking into consideration the geographic conditions and/or the behavior of subscribers within the planning region, which have been implemented or are in development, are based on the totality or on parts of the following general method which is shown diagrammatically in Figure 4.

In a first step, the space-related data of the planning area are preprocessed. Space-related data are understood to be, for example, the space-related radio traffic distribution to be expected, the radio traffic density, topographical data, traffic routes (roads, railway lines) etc. In Figure 4, a planning area 1 considered is shown diagrammatically, which is subdivided into individual grid squares 2. For each grid square, a predicted traffic density, i.e. a traffic density to be expected, is shown. The darker the gray coloration shown, the higher the expected traffic density.

In a second step, the space-related data are represented as condensed and normalized features which are shown as normalized density points 3 in the example. The condensed and normalized features are processed by means of algorithms for calculating the geographic position of the sites for the base stations 4 of the mobile radio telephone network.

In a third step, finally, the sites of the base stations 4 and of the condensed normalized features are processed by means of algorithms for calculating the parameters of the

base stations of the mobile radio telephone network. These parameters are, among others, transmitter power, frequencies, antenna parameters, etc. The proposed coverage areas 5 of the individual base stations 4 are shown, for example, at the bottom in Figure 4.

This results in a rough planning model which now must be optimized by means of manual work. The example still contains gaps between coverage areas 5 of base stations 4 which must be closed by further planning measures such as, e.g. setting up additional base station sites, increases in transmitter powers etc..

The known methods can either only be used for part-tasks of the automatic network design or contain fundamental problems:

As yet, no automatic method is known which, by means of its application, generates a complete network design, the quality of which is comparable to results of manual radio network planning.

Furthermore, no automatic method is known which, by means of its design, can assess the quality of the results of the automatic network design in comparison with a network or subnetwork planned manually or in operation and can demonstrate these quality levels in the result.

No automatic method is known which, by means of its design, can be applied for different mobile radio telephone standards (GSM, DCS 1800, CDMA, analogue standards, future standards) in parallel and without changing the operations.

No automatic method is known, either, which, by means of its design, achieves the reuse of complete manual planning results and planning experience for new mobile radio telephone networks to be planned by means of automatic operations.

No automatic method is known which, by means of its design, takes into consideration the particular features of different system technologies in the design of networks or subnetworks.

Furthermore, no automatic method is known which, by means of its design, achieves the design of mobile radio telephone networks which combine different mobile radio telephone standards (e.g. GSM 900 and DCS 1800).

The present invention is based on the object of proposing a method for automatically designing cellular mobile radio telephone networks which generates a complete network design, the quality of which is comparable to results of manual radio network planning.

 This object is achieved by the characterizing features of claim 1.

The invention is based on a method which automatically generates a design of the cellular mobile radio telephone network or subnetwork for the new planning area from previously produced planning data of implemented, planned or abstract cellular mobile radio telephone networks or subnetworks and the space-related data of their planning areas (reference data) and the space-related data of a new planning area (space-related planning data) by processing the relations between the space-related reference and planning data and application of coordinate and angle transformations to the site coordinates of the base stations and main beam directions of the antennas of base stations of the reference data.

An significant advantage of the method according to the invention is that by this means a realistic complete network design (complete network data and network parameters), which can be used directly for quantification of the investment and planning expenditure and for other planning processing by the user is generated automatically.

Furthermore, the networks or subnetworks generated are automatically assessed by means of quality levels by the method described. This ensures that transparent information

on the planning outlay of the further processing of the network design are provided to the user of the method.

A further advantage consists in achieving a selective, automated reuse of manual planning results and the normalized storage of know-how. This leads to a considerably reduced work- and computing load.

Furthermore, the method according to the invention achieves a significant quality improvement of the "synthetic network" function of radio network planning tools by taking into consideration the space-related data of the planning area (e.g. a synthetic network adapted to traffic).

Furthermore, the method described provides for a new class of analysis functions of a radio network planning tool in that network areas with similar or corresponding space-related conditions can be automatically compared.

In addition, the method according to the invention achieves network designs for different mobile radio telephone standards and system technologies by using identically structured reference data of the preproduced networks without changing the operations.

To prepare and carry out the method described, operations, activities and methods are used which are known to an expert

and, therefore, will not be explained in greater detail here. These are, e.g.:

- the acquisition, storage, testing and processing of space-related grid and/or vector data,
- the calculation of one- or multi-dimensional features of space-related grid and/or vector data,
- the calculation of the similarity of objects with multidimensional feature vectors including cluster methods, fuzzy and neuroalgorithms,
- all aspects of the standards of cellular mobile radio telephone networks, the system technology and the technology of terminals of cellular mobile radio telephone networks, and
- all aspects of models and methods for propagation, coverage, interference, frequency demand, frequency planning and the capacity of cellular mobile radio telephone networks and of the measurement data in the operation of a cellular mobile radio telephone network.

Advantageous embodiments and further developments of the invention are the subject-matter of the dependent patent claims.

Due to the calculations of similarity between the reference data and the planning data, which form the basis of the method, it is possible to assess the quality of the network

design by quantifying the relations between space-related reference and planning data. The quality or, respectively, the correspondence of part-areas of the network design to part-areas of the reference network can be expressed, for example, by a number between 0 and 1, where 0 indicates no correspondence and 1 an identical correspondence between the data of the reference area and the planning area. This enables the network planner to estimate rapidly and relatively accurately the expenditure and the costs of any manual post-processing of the network design found which may be required.

In the text which follows, the invention is explained in greater detail by means of an illustrative embodiment, referring to a number of figures in the drawings. The drawings and their description will reveal further features and advantages of the invention.

Figure 1 shows a diagrammatic representation of the method according to the invention;

Figure 2 shows diagrammatically the structure of the technical implementation of the method;

Figure 3 shows a flow chart of the most important method steps;

Figure 4 generally shows the necessary method steps in the (part-)automated radio network planning according to the prior art.

According to the invention, the following considerations are used as a basis:

Two geographic areas having identical space-related features can be supplied by mobile radio telephone networks or subnetworks which are identical apart from the space-related parameters (coordinates of the base stations, main beam directions of the antennas). From this it follows that two geographic areas having identical space-related features can be represented by identical space-related data contents which can be processed by machine.

The preliminary considerations are based on the fact that the number of cellular mobile radio telephone networks which have been planned and have been implemented by network operators such as T-Mobil is very large. If, in theory, this number tends towards infinity, there is already a planning area having identical space-related data contents for each new planning area. The mobile radio telephone network existing locally can be processed for the network design for the new planning area by transformation of the space-related parameters.

Assuming a realistic number of planned and implemented mobile radio telephone networks of a network operator such as

T-Mobil, a planning area with identical space-related data contents already exists for each new planning area precisely if, in theory, the size of the area of the planning area tends toward zero or, respectively, approaches the resolution of the space-related data (e.g. 5 × 5 seconds of arc). The smaller the planning area and the subnetwork connected with this geographical area, the greater the probability that there are identities in the space-related data contents.

The realistic, practical application takes place when the space-related data contents of an existing planning area and a new planning area are considered as being identical by means of the introduction of a similarity criterion. The degree of similarity of the space-related data contents is a quality level of the conformability of the design for the new cellular mobile radio telephone network or subnetwork.

Figure 1 diagrammatically shows the sequence of the method according to the invention.

The space-related planning data of planning area 1 are known. The planning data have been previously determined by means of known methods and measures and can contain the following:

- elevation data,
- land utilization data,
- traffic routes (road data, railway data, shipping lines),

- traffic data (e.g. distribution of traffic volumes in the grid squares 2),
- distribution of subscribers,
- distribution of population

or special, suitable subsets of this total set.

The network data 10 which describe the required network or subnetwork are not yet known and are to be determined by the method.

From radio network planning operations in a planning area 6 considered, which have already been carried out, the network data and parameters are known and represent a corresponding set of reference data which are connected to the planning areas of these preproduced, planned or implemented mobile radio telephone networks or subnetworks via one-to-one relation: these data also contain:

- elevation data,
- land utilization data,
- traffic routes (road data, railway data, shipping lines),
- traffic data (e.g. distribution of traffic volumes in grid squares 7),
- distribution of subscribers,
- distribution of population

or special, suitable subsets of this total set.

This provides reference data which contain both the subset of the network data and network parameters of the preproduced mobile radio telephone networks (e.g. sites of the base stations 9 and resultant field strength distributions 8) and, connected via one-to-one relations, the subset of the space-related data of their planning areas.

According to the invention, operations 13 are now performed which implement a conversion from the state of preproduced mobile radio telephone networks or subnetworks 6 into the state of network design for a new planning area 1. The part-operations are:

- Feature calculation of space-related reference and planning data 7 which are represented as one- or multi-dimensional features or parameters.
- Similarity calculation of multidimensional features of the planning area 1 and the planning area 6,
- Mapping of the sites of the base stations of reference area 6 onto planning area 1 by coordinate transformation of the sites of base stations 9 into geographical longitude, latitude and rotation related to the zero meridian,
- Angle transformation of the main beam directions of the antennas of base stations 9 for rotations related to the zero meridian.

This results in a network design which consists of planning data and parameters of the automatically generated, complete mobile radio telephone network or subnetwork (site of the base stations 12, parameters for calculating the field strength distribution 11, etc.). The more closely the reference area and its space-related data correspond to the planning area and its space-related data, the greater the correspondence of the network data of the network design to the data of the reference network design.

According to Figure 2, therefore, this results in a method for automatically designing cellular mobile radio telephone networks, in which

- without necessary human intervention,
- for a mobile radio telephone network or subnetwork N1 to be planned,
- on a geographic area 1,
- a real or abstract mobile radio telephone network or subnetwork N2, on a real or abstract geographic area 6,
- is changed in the space-related parameters site coordinates of base stations 9, 12 and antenna main beam directions,
- and on the geographic area 1 is substituted by coordinate transformation of the geographical longitude, latitude and rotation with respect to the zero meridian in network N1,

at the precise instant, when the features of the spacerelated data of the geographic areas 1 and 6 are equal or are set to be equal in accordance with a particular criterion.

To implement the method according to the invention technically, computer hardware and software of a radio network planning tool including the input/output peripherals, corresponding to the prior art, must be supplemented by programs for implementing the operations of the method according to the invention.

Storage media corresponding to the prior art must be provided for space-related grid and vector data.

Furthermore, storage media corresponding to the prior art must be provided for planning data and parameters of planned or implemented cellular mobile radio telephone networks or subnetworks. The data of the reference data can be called up in appropriate databases.

Figure 3 again describes the steps of the automated planning method in detail:

(1) Reading the space-related reference data r1 to rn:

The space-related data of the reference networks (in each case represented by their space-related reference data and their reference network data) are accessed.

(2) Calculating features Mr1 to Mrn:

For each reference network ri, i=1 to n, a feature Mri is calculated. Both general prior art methods of pattern recognition and data condensation and normalized storage techniques for the space-related data as matrix or node/edge vector without special data condensations can be used.

- (3) Reading the space-related planning data rp:
 The space-related data of the planning area are accessed
- (4) Calculating the features Mp:
 Calculations according to Step (2) for the space-related
 planning data
- (5) Calculating feature Mri with the shortest distance to feature Mp:

The feature Mri (reference network data) having the shortest distance to feature Mp (planning data) in the feature space is calculated by using methods corresponding to the prior art for calculating the similarity of objects having multidimensional feature vectors (e.g. cluster method). The associated reference network Nri is determined via index i due to the one-to-one relation between space-related reference data and reference network data.

- (6) Reading the data of reference network Nri:

 The network data and parameters Nr1 to Nrn of the reference network are accessed
- (7) Transformation of the site coordinates $Nri \rightarrow Np$ Establishing geographic congruence of the space-related reference data i and planning data p by displacement (geographic longitude and latitude) and rotation with respect to the zero meridian. Analogous coordinate transformation of the sites of the base stations (application addition, subtraction, circular function).
- (8) Transformation of the main beam directions $Nri \rightarrow Np$ Analogously to step (7), transformation of the angles of the main beam directions of the antennas of the base stations with respect to the geographic location from Nri to Np (application of addition and subtraction).
- (9) Outputting the data of the network design Np:
 Storing the data of the network design Np on the storage
 medium

Output of the distance of the features Mri (space-related reference data) and Mp (space-related planning data) in the multidimensional feature space as quality level for the conformability of the automatically generated network design Np.

Legend of drawings

1	ΡŢ	ann	ing	area
---	----	-----	-----	------

- 2 Grid square
- 3 Density points
- 4 Base station
- 5 Coverage area
- 6 Reference area
- 7 Grid square
- 8 Field strength distribution
- 9 Base station
- 10 Network data to be determined
- 11 Field strength distribution
- 12 Base station
- 13 Operations

Patent Claims

- 1. A method for automatically designing cellular mobile radio telephone networks, wherein, from existing planning data of implemented, planned or abstract cellular mobile radio telephone networks or subnetworks and the space-related data of their planning areas and the space-related data of a new planning area, a design of the cellular mobile radio telephone network or subnetwork for the new planning area is automatically generated by processing the relations between the space-related reference and planning data and application of coordinate and angle transformations to the site coordinates of the base stations and main beam directions of the antennas of the base stations of the reference data.
- The method as claimed in claim 1, wherein the quality of the network design is assessed by quantifying the relations between space-related reference and planning data.
- 3. The method as claimed in claim 1 or 2, wherein the space-related planning are acquired, stored, tested and processed in the known manner.

- 4. The method as claimed in one of claims 1 to 3, wherein the space-related planning data are represented as one-or multi-dimensional features and/or parameters and are kept stored in a database.
- 5. The method as claimed in one of claims 1 to 4, wherein the space-related and network-related reference data are kept stored in a database and are represented as one- or multi-dimensional features and/or parameters.
- 6. The method as claimed in one of claims 1 to 5, wherein, without necessary human intervention, for a mobile radio telephone network or subnetwork (N1) to be planned on a geographic area (1) a real or abstract mobile radio telephone network or subnetwork (N2) on a real or abstract geographic area (6) is changed in the spacerelated parameters, site coordinates and antenna main beam directions and on the geographic area (1) is substituted in the subnetwork (N1) to be planned by coordinate transformation of the geographic longitude, latitude and rotation with respect to the zero meridian at the precise instant when the features of the spacerelated data of the geographic areas (1) and (6) are equal or are said to be equal in accordance with a particular criterion.

Key to figures

Fig. 1

	1	Reference	data
--	---	-----------	------

- Space-related data
- 3 Network data
- Space-related data
- 3 Network data
- 4 Operations
- 5 Planning data
- 6 (Stage 1)
- 7 Network design
- 8 (Stage 2)

Fig. 2

1	Storage	medium
---	---------	--------

- Space-related planning data rp of planning area A1
- 1 Storage medium
- Space-related reference data $r_1 \ \ r_n$
- 1 Storage medium
- 4 Reference network data
 Nrl Nrn
- 5 Calculating base of the programs
- 6 Operations
- 1 Storage medium

7	Network	design	N1	for
	plann	ing are	a A	1


Fig. 3

_		_	_			
7	Space-related	rataranca	data	~1	+0	~n


- 2 Calculating features Mr1 to Mrn
- 3 Reading space-related planning data rp
- 4 Calculating feature Mp
- 5 Calculating Mri with shortest distance to Mp
- 6 Reading reference network Nri
- 7 Transforming site coordination, Nri > NP
- 8 Transforming main beam directions, Nri > Np
- 9 Outputting Np, outputting quality level

TO

EN CHARLES OF THE COLUMN TO SERVICE OF THE PARTY OF THE P



PCT/DE00/00129




WO 00/42799

PCT/DE00/00129

09/646199

Fig. 3




WO 00/42799

PCT/DE00/00129

09/646199

Fig. 4



DECLARATION AND POWER OF ATTORNEY

. As a below-named inventors, We hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

	FOR AUTOMATICALLY DESIGNING CELLULAR MOBILE RADIOTELEPHONE NETWOP (Title of Invention)
he specifica check one)	ation of which:
	is attached hereto.
	X was filed on <u>September 14, 2000</u>
	Application Serial No. 09/646,199
	and was amended
	(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

A acknowledge the duty to disclose information of which I am aware which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Appli	Priori	ty Claimed		
<u>Number</u>	<u>Country</u>	Filing Date	<u>Yes</u>	\underline{No}
199 01 247.4	<u>GERMANY</u>	January 14, 1999	<u>Yes</u>	
PCT/DE00/00129	PCT	January 14, 2000	<u>Yes</u>	
				

Application Serial No.	Filing Date	<u>Status</u>	
			,
And I hereby appoint No	rman H, Zivin (Reg. No. 2	15,385); John P. White (Reg. N	o. 28,67
Kavrukov (Reg. No. 25,) 30 141): Peter I Phillips	[61]; Christopher C. Duni	ham (Reg. No. 22,031); Kobert ndy E. Miller (Reg. No. 35,615) a	D. Kat
c/o Cooper & Dunhum L	LP of 1185 Avenue of the A	mericas, New York, New York 10	na eacn 1036 (Te
0400), my attorneys, each	h with full power of substitut	tion and revocation, to prosecute	this app
make alterations and ame	endments therein, to receive	the putent, to transact all busines	s in the
	tea nerewith and to file any e Patent Cooperation Treuty	International Applications which	are ba
-	•		
Pleuse address all commi	inications, and direct all tele	ephone calls, regarding this appli	ication t
Norman H. Zivin	. R	leg. No 25,385	
Cooper & Dunham	n LI.P		
1185 Avenue of the New York, New Yo	ork 10036 🚶		
Tcl. (212) 278-040	00		
l hereby declare that all st	atements made herein of my	own knowledge are true and that c	all state
on informution and belief	f are believed to be true; an	id further that these statements w	vere ma
on information and beliej knowledge that willful fals	f are believed to be true; an e statements and the like so n	nd further that these statements w nude are punishable by fine or imp	vere ma vrisonm
on information and beliej knowledge that willful fals under Section 1001 of Ti	f are believed to be true; an e statements and the like so n	ul further that these statements w nude are punishable by fine or imp s Code and that such willful fal	vere ma vrisonm
on information and beliej knowledge that willful fals under Section 1001 of Ti jeopardize the validity of t	f are believed to be true; an Se statements and the like so n Ttle 18 of the United Stutes	ul further that these statements w nude are punishable by fine or imp s Code and that such willful fal	vere ma vrisonm
on information and beliej knowledge that willful fals under Section 1001 of Ti jeopardize the validity of t Full name of sole or	f are believed to be true; an Se statements and the like so n Ttle 18 of the United Stutes	ul further that these statements w nude are punishable by fine or imp s Code and that such willful fal	vere ma vrisonm
on information and belief knowledge that willful fals under Section 1001 of Ti jeopardize the validity of t Full name of sole or first joint inventor	f are believed to be true; an erstatements and the like so n itle 18 of the United States the application or any puten	ul further that these statements w nude are punishable by fine or imp s Code and that such willful fal	vere ma vrisonm
on information and belief knowledge that willful fals under Section 1001 of Ti jeopardize the validity of t Full name of sole or first joint inventor Inventor's signature	f are believed to be true; and the like so we statements and the like so with the 18 of the United States the application or any puten Jurgen CLEMENS	id further that these statements would are punishable by fine or impose Code and that such willful fall it issued thereon.	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Ti jeopardize the validity of i Full name of sole or first joint inventor Inventor's signature CitizenshipGermany	f are believed to be true; an erstatements and the like so n itle 18 of the United States the application or any puten	id further that these statements would are punishable by fine or impose Code and that such willful fall it issued thereon.	vere ma vrisonm
on information and belief knowledge that willful fals under Section 1001 of Ti jeopardize the validity of i Full name of sole or first joint inventor Inventor's signature CitizenshipGermany	f are believed to be true; and the like so we statements and the like so with the 18 of the United States the application or any puten Jurgen CLEMENS	id further that these statements would are punishable by fine or impose Code and that such willful fall it issued thereon.	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Ti ieopardize the validity of i Full name of sole or first joint inventor lnventor's stgnature CitizenshipGermany Residence	f are believed to be true; and set statements and the like so notice 18 of the United States the application or any puten Jurgen (LEMENS) Date of signal contents of the cont	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tipeopardize the validity of the v	f are believed to be true; and statements and the like so notice 18 of the United States the application or any puter Jurgen (LEMENS) Date of signal Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Ti jeopardize the validity of i Full name of sole or first joint inventor Inventor's stgnature CitizenshipGermany Residence	f are believed to be true; and statements and the like so notice 18 of the United States the application or any puter Jurgen (LEMENS) Date of signal Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tipeopardize the validity of the v	f are believed to be true; and statements and the like so notice 18 of the United States the application or any puter Jurgen (LEMENS) Date of signal Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tipeopardize the validity of its first joint inventor	f are believed to be true; and se statements and the like so notitle 18 of the United States the application or any puten Jurgen ('LEMENS Date of signal In Neuwerk 11 Description of the Description of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tipeopardize the validity of its first joint inventor	f are believed to be true; and se statements and the like so notitle 18 of the United States the application or any puten Jurgen ('LEMENS Date of signal In Neuwerk 11 Description of the Description of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tieopardize the validity of it is a first joint inventor	f are believed to be true; and se statements and the like so notitle 18 of the United States the application or any puten Jurgen ('LEMENS Date of signal In Neuwerk 11 Description of the Description of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11	nude are punishable by fine or impose the content of the content o	vere ma prisonmo lse state
on information and belief knowledge that willful fals under Section 1001 of Tipopardize the validity of it is first joint inventor	f are believed to be true; and se statements and the like so notitle 18 of the United States the application or any puten Jurgen ('LEMENS Date of signal In Neuwerk 11 Description of the Description of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11 Description of the Date of Signal of the Neuwerk 11	will further that these statements we made are punishable by fine or impose the code and that such willful fall it issued thereon. Wolf Land Wolf	vere ma prisonmo lse state

Post Office Address SAMF. AS RESIDENCE

Full name of joint inventor (if any)_	Dr. Norbert SCHULTZE	
Inventor's signature		North - Williake
Citizenship Germany	Date of signature	29.09.2000
Residence	Spenbergweg 28x Edith-Ste	ein-Str. 17
	D-53859 Nicderkassel, GERMANY	DEX
Post Office Address_S		

Declaration and Power of Attorney